



**IT'S  
CORDLESS**



**IT'S  
CORDED**

**IT'S BOTH**



**All MultiVolt™ tools are both cordless and corded!**

# What is MultiVolt™?



Metabo HPT introduces a revolutionary cordless-corded power tool solution that meets the power output demands on a jobsite. MultiVolt™ tools can accept a 36V battery OR plug into an outlet with the AC Adapter. This unique platform changes what's possible on the jobsite by offering the power of a corded tool, the freedom of a cordless platform and the choice to operate all MultiVolt™ tools cordless or corded. It's Cordless, It's Corded, It's Both!

## POWER

Experience tells you corded tools have more power than cordless. That may have been true UNTIL NOW. Metabo HPT's MultiVolt™ platform delivers the power needed to increase productivity and efficiency- regardless if the tools are being operated cordless or corded. When using the MultiVolt™ AC Adapter, it can be used over long extension cords from a generator with little to no power loss thanks to Metabo HPT's ultra-efficient Brushless motor technology.

## SAFETY

Experience a safer jobsite by leaving the cord behind and choosing cordless when a cordless tool makes sense for the application. Go cordless when you don't have access to power and need to be able to move where the job takes you. When you do have access to power, save the battery for later and just plug in.

## BACKWARDS COMPATIBLE

You're invested in your tools and no one ever wants to change battery platforms. That's why MultiVolt™ cordless batteries were designed with your 18V tools in mind. The battery delivers 4.0Ah of runtime at 36V in MultiVolt™ tools. It can also power Metabo HPT 18V cordless tools including cordless nailers for increased flexibility and multipurpose use. When a MultiVolt™ battery is used with an 18V tool, it generates an impressive 8.0Ah of run time. Continue using your Metabo HPT 18V tools and experience a longer battery life, thanks to MultiVolt™ battery innovation.

## CHOICE

Metabo HPT's MultiVolt™ platform gives you the choice to go cordless or plug in - all with the same tool eliminating the need to have a corded tool AND a cordless version available on the jobsite. Choose MultiVolt™ to get the best of both worlds. Set yourself free and work anywhere without the need for corded power- up on a scaffold, building a fence out in a field, or building off the grid. Freedom is portability on the job. Or, if there's power available, insert the MultiVolt™ AC Adapter and reserve the MultiVolt™ battery for when you need portability to suit the application.



LITHIUM ION LIFETIME TOOL WARRANTY	2	YEAR LI-ION BATTERY WARRANTY ANS DE GARANTIE SUR LA BATTERIE DE LI-ION AÑOS DE GARANTÍA DE LITIO ION
	1	YEAR CHARGER WARRANTY AN DE GARANTIE SUR LE CHARGEUR AÑO DE GARANTÍA PARA EL CARGADOR

# Why **MultiVolt™**?

YOUR CHOICE OF **CORDLESS OR CORDED**  
IN ONE TOOL!



All the **POWER** you need on a Professional jobsite—cordless or corded!

**SAFER** jobsite by choosing the MultiVolt™ battery or AC Adapter to best suit the application.

MultiVolt™ battery is **BACKWARDS COMPATIBLE** to Metabo HPT 18V Slide-type Cordless Tools—including cordless nailers!

**IT'S CORDLESS**



**IT'S CORDED**



# IT'S BOTH

WITH A MULTIVOLT™ ADAPTER & BATTERY, YOUR (1) TOOL CAN BE CORDLESS OR CORDED!

## 36V/18V MultiVolt™ Lithium Ion Slide Battery (4.0Ah/8.0Ah)

**372121M (BSL36B18)**



### FEATURES

#### BACKWARD COMPATIBLE TO METABO HPT 18V TOOLS

- 4.0Ah when used in 36V MultiVolt™ tools
- 8.0Ah when used in 18V tools

#### HIGHER CAPACITY CELL TECHNOLOGY

- 21700 Cells deliver over 1440W of power
- ~46% more capacity than standard 18650 cells

#### 4-STAGE REMAINING BATTERY FUEL GAUGE

- 4 Lights = Over 75% Battery Remaining
- 3 Lights = 50% to 75% Battery Remaining
- 2 Lights = 25% to 50% Battery Remaining
- 1 Light = Under 25% Battery Remaining

**LIGHT WEIGHT AT ONLY 2.1 LBS**



## 36V/18V MultiVolt™ Lithium Ion Slide Battery (2.5Ah/5.0Ah)

**371751M (BSL36A18)**

**NEW!**



### FEATURES

#### BACKWARD COMPATIBLE TO METABO HPT 18V TOOLS

- 2.5Ah when used in 36V MultiVolt™ tools
- 5.0Ah when used in 18V tools

#### HIGH PERFORMANCE

- 1080W of power

#### 4-STAGE REMAINING BATTERY FUEL GAUGE

- 4 Lights = Over 75% Battery Remaining
- 3 Lights = 50% to 75% Battery Remaining
- 2 Lights = 25% to 50% Battery Remaining
- 1 Light = Under 25% Battery Remaining

**LIGHT WEIGHT AT ONLY 1.5 LBS**



### 18V Li-Ion Slide Cordless



### 36V/18V MultiVolt™ Li-Ion Slide Battery



**(2.5Ah/5.0Ah)**  
Model # 371751M (BSL36A18)



**(4.0Ah/8.0Ah)**  
Model # 372121M (BSL36B18)

**MultiVolt™ Battery Backwards Compatible with 18V Li-Ion Slide Cordless Metabo HPT Tools**



### FEATURES

#### BACKWARD COMPATIBLE

- Works with MultiVolt™ tools as well as existing Metabo HPT 18V Li-Ion Slide Tools

#### RAPID CHARGER

- Charges MultiVolt™ Battery in approximately 52 minutes for less down time

#### MULTIPLEX PROTECTION CIRCUIT

- Prevents over-load, over-charge & over-discharge


#### INCLUDES

- 36V/18V MultiVolt™ battery (4.0Ah/8.0Ah) (372121M)
- Rapid charger (UC18YSL3M)



# 36V MultiVolt™ AC Adapter

## ET36A



### 36V MultiVolt™ AC Adapter Model # ET36A

AC Adapter Works with  
all 36V MultiVolt™ Tools

\*Platform as of Spring 2020  
\*More products to come



#### CONTINUOUS OPERATION

When power is available, the ET36A gives the user the option to plug in and continue working without having to worry about battery charge



#### PIVOTING CORD POSITION

Can pivot from 90° to 180° to ensure a more comfortable operation for the tool in use



#### COMPATIBILITY

Works with all 36V MultiVolt™ tools. Gives the user the flexibility to work corded or cordless – which ever best suits the application need

### FEATURES

- 2018 Pro Tool Innovation Award Winner
- Can be used with generators or long extension cords with little to no power loss
- Cord is approximately 20 ft in total length giving the user more maneuverability when in use
- Input power source is single phase AV 120V / 60Hz and produces a maximum power output of 2,000 watts, which results in similar (sometimes superior) power as traditional 15-Amp AC tools
- Adapter piece is the same size and shape of the MultiVolt™ battery eliminating any added bulkiness
- Approximately 5.5 lbs in total weight

## 36V MultiVolt™ Brushless 1/2" Hammer Drill (4.0Ah x 2)

### DV36DA



(2) 372121M Batteries included



- **MultiVolt™:** It's Cordless, It's Cored, It's BOTH!
- Holes Per Charge: 195 (1-1/2" diameter auger bit, 3" deep through wood)
- Professional grade power with 1,220 in-lbs of torque and up to 2,100 RPM with 0-31,500 BPM
- Long side handle provides additional comfort and control
- Built-in LED light effectively illuminates dark work spaces
- Reactive Force Control (RFC) senses tool overload and stops rotation to ensure user safety



#### 1/2" KEYLESS ALL METAL CHUCK

With carbide insets for quick and simple bit replacements and secure holding power



#### 22-STAGE + 2 CLUTCH SETTINGS

22 torque settings, a drill mode and a hammer drill mode to properly match the torque to the application

Volts .....	36
Torque .....	1,220 in-lbs
No Load Speed .....	0-2,100 RPM
Impact Rate .....	0-31,500 BPM
Capacities	
Wood .....	4"
Concrete .....	3/4"
Steel .....	5/8"
Weight (w/ Battery) .....	6.6 lbs

#### Accessories Included

(2) 4.0Ah MultiVolt™ Batteries  
Rapid Charger w/USB Port  
Side Handle  
Doubled #2 Phillips Bit  
Hard Carrying Case

## 36V MultiVolt™ Brushless 1/2" Hammer Drill (Bare Tool)

### DV36DAQ4



LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY



- **MultiVolt™:** It's Cordless, It's Cored, It's BOTH!
- Holes Per Charge: 195 (1-1/2" diameter auger bit, 3" deep through wood)
- Professional grade power with 1,220 in-lbs of torque and up to 2,100 RPM with 0-31,500 BPM
- Long side handle provides additional comfort and control
- Built-in LED light effectively illuminates dark work spaces
- Reactive Force Control (RFC) senses tool overload and stops rotation to ensure user safety



#### 1/2" KEYLESS ALL METAL CHUCK

With carbide insets for quick and simple bit replacements and secure holding power



#### 22-STAGE + 2 CLUTCH SETTINGS

22 torque settings, a drill mode and a hammer drill mode to properly match the torque to the application

Volts .....	36
Torque .....	1,220 in-lbs
No Load Speed .....	0-2,100 RPM
Impact Rate .....	0-31,500 BPM
Capacities	
Wood .....	4"
Concrete .....	3/4"
Steel .....	5/8"
Weight (w/ Battery) .....	6.6 lbs

#### Accessories Included

Side Handle  
Doubled #2 Phillips Bit



## 36V MultiVolt™ Brushless Triple Hammer Impact Driver

**WH36DB**

Volts ..... 36  
 Torque ..... 1,859 in-lbs  
 No-Load Speed ..... 0-2,900 RPM  
 Impact Rate ..... 0-4,100 BPM  
 Variable Speed ..... Trigger  
 Belt Hook ..... Equipped  
 LED Light ..... Equipped  
 Weight (w/ Battery) ..... 4.1 lbs

**Accessories Included**  
 (2) 4.0Ah MultiVolt™ Batteries  
 Charger  
 Case

- **MultiVolt™:** It's Cordless, It's Corded, It's BOTH!
- Screws Per Charge: 990 (3" drywall screws into wood)
- Triple Hammer Technology (via incorporating a third impacting anvil) increases driving speed, beats per minute, torque and decreases vibration
- 1/4" keyless hex drive saves time as bits can be changed quickly and easily
- Responsive variable speed trigger provides complete control during the application
- IP56 provides a degree of dust and water resistance



### 4-STAGE SPEED SELECTION CONTROL BOARD

Allows up to 1,859 in-lbs of torque, 0-900 to 2,900 RPM, & 0-2,000 to 4,100 BPM for precision and control during a variety of applications



### METAL BELT HOOK

So the tool is always close at hand



## 36V MultiVolt™ Brushless Triple Hammer Impact Driver (Bare Tool)

**WH36DBQ4**

Volts ..... 36  
 Torque ..... 1,859 in-lbs  
 No-Load Speed ..... 0-2,900 RPM  
 Impact Rate ..... 0-4,100 BPM  
 Variable Speed ..... Trigger  
 Belt Hook ..... Equipped  
 LED Light ..... Equipped  
 Weight (w/ Battery) ..... 4.1 lbs

**Optional Accessories**  
 Starter Kit  
 Adapter  
 Battery  
 Charger

- **MultiVolt™:** It's Cordless, It's Corded, It's BOTH!
- Screws Per Charge: 990 (3" drywall screws into wood)
- Triple Hammer Technology (via incorporating a third impacting anvil) increases driving speed, beats per minute, torque and decreases vibration
- 1/4" keyless hex drive saves time as bits can be changed quickly and easily
- Responsive variable speed trigger provides complete control during the application
- IP56 provides a degree of dust and water resistance



### 4-STAGE SPEED SELECTION CONTROL BOARD

Allows up to 1,859 in-lbs of torque, 0-900 to 2,900 RPM, & 0-2,000 to 4,100 BPM for precision and control during a variety of applications



### METAL BELT HOOK

So the tool is always close at hand



## 36V MultiVolt™ Brushless Triple Hammer Impact Driver (Bare Tool)

**VB3616DA**

Volts ..... 36  
 Capacity ..... Up to #5 (5/8")  
 Cut time ..... 2.6 Sec (#5)  
 90° Bend Time ..... 1.9 Sec (#5)  
 Trigger ..... Variable Speed  
 Number of Bends at once ..... #3-3  
 ..... #4-2  
 ..... #5-1  
 Weight (w/ Battery) ..... 42.3 lbs

**Accessories Included**  
 (2) 36V 4.0Ah MultiVolt Batteries  
 Deflection Guard  
 1 Pair Cutter Set (on tool)  
 D62 Center Roller (on tool)  
 4mm Wrench (on tool)  
 Carrying Case

- **MultiVolt™:** It's Cordless, It's Corded, It's BOTH!
- Cuts approx. 270 pieces of #5 per charge and bends approx. 520 pieces of #5 at 90° per charge with MultiVolt 4.0Ah battery
- Power with the MultiVolt battery for use anywhere or rely on the AC adapter with cord when outlet power is convenient to save battery life
- Increased user safety with dual-step trigger and deflection guard



### POWERFUL BENDS

Bends up to #5 rebar in a matter of seconds. Bend 1 piece of #5 rebar, 2 pieces of #4, or 3 pieces of #3 at once



### FAST CUTS

Quickly cuts #5 rebar in less than 3 seconds with ultra-capable brushless motor




## 36V MultiVolt™ Brushless 7-1/4" Circular Saw (Bare Tool)

**C3607DAQ4**



- **MultiVolt™:** It's Cordless, It's Coded, It's BOTH!
- Cuts Per Charge: 220 cross cuts (2" x 8" wood)
- Soft Start & Electric Brake for increased safety & productivity
- Heavy Duty Aluminum Base with easy to read scale
- Auto Mode option to reduce RPM & decibel rating while sparing motor & battery life



### BEVEL ADJUSTMENT

Easy to read bevel scale. 55° capacity with stops at 0°, 45° and 55°



### CONTROL BOARD

Auto Mode reduces RPM and decibel rating while sparing motor and battery life

Volts .....	36
Blade Diameter .....	7-1/4"
No Load Speed .....	4,300 RPM
Arbor Size .....	5/8"
Capacities	
90° Cut Depth .....	2-7/16"
45° Cut Depth .....	1-7/8"
Weight (w/ Battery) .....	9.7 lbs

**Accessories Included**  
7-1/4" 24T Framing Blade  
5mm Blade Wrench

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY

**BRUSH  
LESS**  
Brushless Motor

**DUST BLOWER  
FUNCTION**

**QUICK  
BRAKING**

## 36V MultiVolt™ Brushless Reciprocating Saw (Bare Tool)

**CR36DAQ4**



- **MultiVolt™:** It's Cordless, It's Coded, It's BOTH!
- Cuts Per Charge: 100 cross cuts (2" x 12" wood)
- Delivers a 1-1/4" stroke length for convenience and speed when performing various applications
- Large rafter hook convenient for temporarily hanging tool on work material when not in use
- Slim body makes the tool easier to grip for enhancing operating efficiency



### ORBITAL ACTION

Beneficial for faster cutting through wood for demolition or other such applications



### CONTROL BOARD

4-Stage speed selector ranging from 1,700 SPM to 3,000 SPM to satisfy cutting needs for various applications

Volts .....	36
Stroke Speed	
Low .....	0-1,700 SPM
Medium .....	0-2,000 SPM
High .....	0-2,500 SPM
Max .....	0-3,000 SPM
Stroke Length .....	1-1/4"
Blade Change .....	Tool-less
Weight (w/ Battery) .....	10.6 lbs

**Accessories Included**  
Curved Wood Blade

LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY

**BRUSH  
LESS**  
Brushless Motor

INCLUDES  
INCLUDES  
**RAFTER  
HOOK**

**UVP**  
USER VIBRATION PROTECTION

**ORBITAL**





## 36V MultiVolt™ Brushless 7-1/4" Slide Miter Saw (Bare Tool)

**C3607DRAQ4**

Volts ..... 36  
Blade Diameter ..... 7-1/4"  
Arbor ..... 5/8"  
Miter Angle ..... L 45° R 57°  
Bevel Angle ..... L 45° R 45°  
No-Load Speed ..... 4,000 RPM  
Weight (w/o Battery) ..... 34.0 lbs

### Accessories Included

7-1/4" Blade  
2 Side Supports  
5mm Blade Wrench  
Vise Assembly  
Dust Bag  
Support Rod Ass'y (x2)  
5mm Screw  
Dust Collection Attachment (optional)

- **MultiVolt™**: It's Cordless, It's Corded, It's BOTH!
- Cuts Per Charge: 230 cross cuts (2" x 10" wood)
- Extreme precision and highly accurate for ultra-professional results
- Class leading low noise low vibration: 10 db levels lower than class competitors
- Customizable LED light and adjustable laser increases cutting accuracy



### ZERO CLEARANCE SLIDE RAIL

Allows for efficient cutting in tight spaces or when tool is placed against a wall



### MICRO BEVELING KNOB

Micro beveling capabilities increasing precision and accuracy

**BRUSH  
LESS**  
Brushless Motor



**NEW!**



**LASER MARKER**

## 36V MultiVolt™ Brushless 10" Slide Miter Saw (w/Adapter)

**C3610DRA**

Volts ..... 36  
Blade Diameter ..... 10"  
Arbor ..... 5/8"  
Miter Angle ..... L 55° R 60°  
Bevel Angle ..... L 48° R 48°  
No-Load Speed ..... 4,000 RPM  
Weight (w/o Battery) ..... 45.5 lbs

### Accessories Included

10" Blade  
AC/DC Adapter  
13mm Blade Wrench  
Vise Assembly  
Dust Bag  
Support Rod Ass'y (x2)  
5mm Screw

- **MultiVolt™**: It's Cordless, It's Corded, It's BOTH!
- Cuts Per Charge: 350 cross cuts (2" x 4" wood)
- Includes AC Adapter
- Compact slide system allows for cuts with zero clearance
- Up front miter and bevel locks for easy cut adjustments
- Adjustable laser and LED light for accurate cutting and cutting in dimly lit areas



### ZERO CLEARANCE SLIDE RAIL

Allows for efficient cutting in tight spaces or when tool is placed against a wall



### ADJUSTABLE LASER

Allows easy adjustment for more accurate cutting



### MITER SCALE

Large, easy to read miter scale with detents at 0°, 15°, 22.5°, 31.6°, and 45° for increased accuracy for various cuts

**BRUSH  
LESS**  
Brushless Motor



ET36A Adapter  
included

**LASER MARKER**

Also available C3610DRAQ4 (Bare Tool)  
Also available C3610DRAQA (w/ Battery & Charger)

## 36V MultiVolt™ Brushless 10" Table Saw (Bare Tool)

**C3610DRJQ4**

Volts ..... 36  
No-Load Speed ..... 5,000 RPM  
Blade Diameter ..... 10"  
Bevel Angle ..... 0° - 45°  
Capacities  
90° Cut Depth ..... 3-1/8"  
45° Cut Depth ..... 2-1/4"  
Weight (w/o Battery) ..... 65 lbs

### Accessories Included

10" 40T Carbide Tipped Blade  
Blade Guard Assembly  
Anti-Kickback Pawl Assembly  
Miter Gauge Assembly  
Push Stick  
Rip Fence Assembly  
VIC RIP Fence Assembly  
Outfeed Support Assembly  
(2) Blade Wrench  
4mm Hex Bar Wrench  
2.5mm Hex Key

- **MultiVolt™**: It's Cordless, It's Corded, It's BOTH!
- Cuts Per Charge: 320 linear feet (1/2" OSB) / 75 linear feet (2" x wood)
- Easy blade height or angle adjustments with bevel range of 0° to 45° allowing for cuts ranging from 3-1/8" to 2-1/4" in height
- 35"(R) and 22"(L) Market leading Max Rip Capacity to easily rip through a variety of larger material
- Soft start function: reduces noise, recoil and stresses on the electrical system
- Overload protection and electric brake for added safety



### LARGE WORKING TABLE SIZE

28-3/4" x 22" for stable material support and additional 2" can be added to the top of the table for additional material support



### HIGHEST CUT CAPACITY CORDLESS TABLE SAW

Equipped with a 10" 40-Tooth carbide tipped blade



Fold & Roll Stand  
optional accessory Part #374769



**BRUSH  
LESS**  
Brushless Motor

## 36V MultiVolt™ Brushless 3/4" High-Torque Impact Wrench (Bare Tool)

### WR36DAQ4



LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY

**BRUSH  
LESS**  
Brushless Motor

**IP56**

- **MultiVolt™:** It's Cordless, It's Cored, It's BOTH!
- Cycles Per Charge: 35 full sink and removal (5/8" x 6" lag screws through pressure treated wood)
- Responsive variable speed trigger provides complete control during the application
- Built-in LED light effectively illuminates dark work spaces
- Heat-resistant rubber bumper protects the tool, workpiece and the user when in use
- IP56 provides a degree of dust and water resistance



#### 3/4" SQUARE DRIVE WITH FRICTION RING AND PIN DETENT

To provide a strong grip on sockets and accessories when attached



#### 4-STAGE SPEED SELECTION CONTROL BOARD

Provides up to 812 ft-lbs of torque (1,328 ft-lbs nut busting), 0-600 to 1,500 RPM, & 0-1,200 to 2,900 BPM for precision and control during a variety of applications

Volts .....	36
Drive .....	3/4" Square
Tightening Torque .....	812 ft-lbs
Breakaway Torque .....	1,328 ft-lbs
No-Load Speed .....	0-1,500 RPM
Impact Rate .....	0-2,900 BPM
Weight (w/ Battery) .....	8.8 lbs

#### Optional Accessories

Starter Kit  
Adapter  
Battery  
Charger

## 36V MultiVolt™ Brushless 1/2" High-Torque Impact Wrench (Bare Tool)

### WR36DBQ4



LITHIUM ION  
**LIFETIME**  
TOOL WARRANTY

**BRUSH  
LESS**  
Brushless Motor

**IP56**

- **MultiVolt™:** It's Cordless, It's Cored, It's BOTH!
- Cycles Per Charge: 35 full sink and removal (5/8" x 6" lag screws through pressure treated wood)
- Responsive variable speed trigger provides complete control during the application
- 4-Stage electronic speed switch for precision and control during a variety of applications
- IP56 provides a degree of dust and water resistance



#### 1/2" SQUARE DRIVE WITH FRICTION RING

To provide a strong grip on sockets and accessories when attached



#### 4-STAGE SPEED SELECTION CONTROL BOARD

Provides up to 775 ft-lbs of torque (1,218 ft-lbs nut busting), 0-600 to 1,500 RPM, & 0-1,200 to 2,800 BPM for precision and control during a variety of applications



#### LARGE RUBBER BUMPER

Heat-resistant bumper protects the tool, workpiece and the user when in use

Volts .....	36
Drive .....	1/2" Square
Tightening Torque .....	775 ft-lbs
Breakaway Torque .....	1,218 ft-lbs
No-Load Speed .....	0-1,500 RPM
Impact Rate .....	0-2,800 BPM
Weight (w/ Battery) .....	8.8 lbs

#### Optional Accessories

Starter Kit  
Adapter  
Battery  
Charger

## 36V MultiVolt™ Brushless 1-9/16" SDS Max Rotary Hammer (Bare Tool)

### DH36DMAQ2



**BRUSH  
LESS**  
Brushless Motor



**RFC**  
REACTIVE FORCE CONTROL

**LVH**

- **MultiVolt™:** It's Cordless, It's Cored, It's BOTH!
- Holes Per Charge: 61 (5/8" diameter 4-cutter, 2-3/8" deep through concrete)
- 360 side handle provides additional comfort and control
- Quick release bit system for fast and simple bit replacements for different applications
- 4-Stage electronic speed switch for precision and control during a variety of applications



#### RFC

(Reactive Force Control) senses tool overload and stops rotation to ensure user safety and protect the tool motor and battery



#### MODE SELECTOR

2-Modes: Hammer and Hammer Drill for flexibility within a range of applications

Volts .....	36
Bit Shank .....	SDS Max
Capacity .....	1-9/16"
No-Load Speed .....	260-590 RPM
Impact Rate .....	1,420-2,860 BPM
Impact Energy .....	7.7 ft-lbs
Length .....	19-17/32"
Weight (w/ Battery) .....	17.4 lbs

#### Accessories Included

Hard Case  
Grease  
Depth Gauge  
Side Handle

## 36V MultiVolt™ Brushless 4-1/2" Slide Switch Grinder (Bare Tool)

**G3612DAQ6**

Volts ..... 36  
 Wheel Diameter ..... 4-1/2"  
 Wheel Capacities ..... 4", 4-1/2", 5"  
 Switch Type ..... Slide  
 Variable Speed... 3,000-9,500 RPM  
 Auto Mode ..... 5,500-9,500 RPM  
 Weight (w/ Battery) ..... 7.1 lbs

**Accessories Included**

4-1/2" Tool-less Wheel Guard  
 4-1/2" Grinding Wheel  
 Blade Wrench  
 Side Handle  
 4mm Hex Bar Wrench  
 Carrying Bag

- **MultiVolt™:** It's Cordless, It's Cored, It's BOTH!
- Cuts Per Charge: 95 (#4, 1/2" Rebar)
- Slim grip circumference reduces fatigue and improves control, especially during continuous use applications
- Soft-start reduces the load felt by the user at start-up
- Spindle lock and tool-less wheel guard for quick and easy disc changes
- Anti-kickback quickly shuts off power in the event of a bound wheel, extending tool life and protecting the user from potential harm



**SLIDE SWITCH**

With lock-on allows for continuous operation



**DUST SCREEN**

To assist in the prevention of dust entering the tool body and extended tool life



## 36V MultiVolt™ Brushless 4-1/2" Paddle Switch Grinder (Bare Tool)

**G3612DBQ6**

Volts ..... 36  
 Wheel Diameter ..... 4-1/2"  
 Wheel Capacities ..... 4", 4-1/2", 5"  
 Switch Type .. Paddle (Non-Locking)  
 Variable Speed... 3,000-9,500 RPM  
 Auto Mode ..... 5,500-9,500 RPM  
 Weight (w/ Battery) ..... 7.1 lbs

**Accessories Included**

4-1/2" Tool-less Wheel Guard  
 4-1/2" Grinding Wheel  
 Blade Wrench  
 Side Handle  
 4mm Hex Bar Wrench  
 Carrying Bag

- **MultiVolt™:** It's Cordless, It's Cored, It's BOTH!
- Cuts Per Charge: 95 (#4, 1/2" Rebar)
- Slim grip circumference reduces fatigue and improves control, especially during continuous use applications
- Soft-start reduces the load felt by the user at start-up
- Spindle lock and tool-less wheel guard for quick and easy disc changes
- Anti-Kickback quickly shuts off power in the event of a bound wheel, extending tool life and protecting the user from potential harm



**PADDLE SWITCH**

Non-locking and turns off when released for added user safety



**DUST SCREEN**

To assist in the prevention of dust entering the tool body and extended tool life



## 36V MultiVolt™ Brushless Wet/Dry Pod Style Vacuum (Bare Tool)

**RP3608DAQ4**

Volts ..... 36  
 Tank Material Capacity  
 Wet..... 1.6 gal  
 Dry ..... 2.1 gal  
 Suction ..... 124 CFM  
 No-Load Noise Level  
 .....62 dB (Standard)  
 Weight (w/o Battery) ..... 19.8 lbs

**Accessories Included**

id 1-1/2" x 4.9 ft hose  
 Crevice Nozzle  
 Master Nozzle  
 Polyethylene Bag (10 pc)  
 Zoom Pipe

- **MultiVolt™:** It's Cordless, It's Cored, It's BOTH!
- Runtime Per Charge: Up to 120 minutes
- Wet/Dry Dust Filter
- Telescopic Zoom Pipe for hard-to-reach areas
- Float Mechanism to prevent water from entering the motor at max capacity
- Powered by 1 MultiVolt™ battery or AC/DC adapter
- 2 battery ports on vacuum to increase run time



**AIR BLOWER CLEANING SYSTEM**

To force compressed air through the filter, removing dust from the filter surface and maintaining high suction power



**3 STAGE SUCTION SWITCH**

Turbo / Standard / Eco

**NEW!**



# metabo **HPT**

# SAME TOOLS

# NEW NAME

*Metabo HPT is the new brand name for Koki Holdings America  
formerly part of the Hitachi Group*



The world is changing, and so is our company. Metabo HPT is the new brand name for Koki Holdings America, formerly part of the Hitachi group.

Over the last 70 years, we have become a trusted partner for our customers who rely on our tools every day for their toughest jobs. Metabo HPT will continue this legacy. Products will retain the same brand identity: same color, same model numbers, same warranties and the same battery interchangeability. They will be made by the same people, in the same factories, with the same specifications and focus on innovation that customers have come to expect from us.

We are committed to continuous innovation and improvement through learning from experience. We support construction industry professionals in doing what they do best- building things that last.

We put experience at the core of our brand philosophy because experience is the best teacher.

Meet Metabo HPT.

1.800.829.4752

[www.metabo-hpt.com](http://www.metabo-hpt.com)